




Assembly Instruction

CONSOLE

ITEM NO.9579GRY-CN


NOTE:Do not use power tools for assembly. Power tools increase the risk of over tightening which leads to splitting or cracking the wood.

COMPONENT LIST

NO.	DRAWING	QTY	DESCRIPTION
A		1PC	BACK REST
B		1PC	CONSOLE
C		2PC	BOLT


Step#1

Console back rest is stored in non-woven bag and put in the bottom of console. Please take out for assembly.





Step#2

Please unzip the back of the console base and insert the bolts upward through the pre-drilled holes and align it through the holes on the bottom of the console back. Tighten each bolt by turning it counter-clockwise until the console back is secured in place.





Step#3









RRPW → AC
 ARPW → CR
 ARPW → CN
 RCPW → CN




RRPW → ARPW
 ARPW → LRPW



AC → CR
 CR → CN
 CN → AC



CN → ARPW
 AC → LRPW
 CR → ARPW
 CN → LCPW



CARE INSTRUCTION FOR LEATHER GEL

In order to maintain the original appearance of your leather gel, please follow below simple care procedure:

- Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/damage leather gel.
- Wipe gently with a damp soft cloth to remove dust, dirt and any grime build up.